

DESCO INDUSTRIES INCORPORATED

3651 WALNUT AVENUE, CHINO CA 91710
 PHONE (909) 627-8178 | WEB DescoIndustries.com

QUALIFICATION REPORT – ANSI/ESD S20.20

DESCO ADJUSTABLE HOOK AND LOOP WRISTBAND

| ANSI/ESD S20.20 | DESCO Test Results | Test Methods |
|-----------------|--------------------|--------------|
|-----------------|--------------------|--------------|

Resistance (ohms), N=6 specimens, 10V-100V

| | | | |
|------------------------------------|--|-------------|------------------------------|
| Wrist Strap (Band and Cord) | 0.8×10^6 to 1.2×10^6 | See Table 1 | ANSI/ESD S1.1 (Section 6.1) |
| Wristband Interior | $< 1.0 \times 10^5$ | See Table 1 | ANSI/ESD S1.1 (Section 6.2) |
| Wristband Exterior | $> 1.0 \times 10^7$ | See Table 1 | ANSI/ESD S1.1 (Section 6.2) |
| Wrist Strap System | $< 3.5 \times 10^7$ | See Table 1 | ANSI/ESD S1.1 (Section 6.10) |

Test Data:


Table 1 – Resistance (ohms)

| | Sample #1 | Sample #2 | Sample #3 | Sample #4 | Sample #5 | Sample #6 |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Wrist Strap ANSI/ESD S1.1 – Figure 2 | 9.15×10^5 | 9.21×10^5 | 9.60×10^5 | 9.34×10^5 | 9.66×10^5 | 9.66×10^5 |
| Wristband Interior ANSI/ESD S1.1 – Figure 4 | $< 1.0 \times 10^3$ | $< 1.0 \times 10^3$ | $< 1.0 \times 10^3$ | $< 1.0 \times 10^3$ | $< 1.0 \times 10^3$ | $< 1.0 \times 10^3$ |
| Wristband Exterior ANSI/ESD S1.1 – Figure 4 | 2.30×10^{10} | 2.39×10^{10} | 2.41×10^{10} | 1.82×10^{10} | 5.37×10^{10} | 4.34×10^{10} |
| Wrist Strap System ANSI/ESD S1.1 – Figure 8 | 1.21×10^6 | 1.27×10^6 | 1.20×10^6 | 1.20×10^6 | 1.16×10^6 | 1.17×10^6 |


DESCO INDUSTRIES INCORPORATED

3651 WALNUT AVENUE, CHINO CA 91710
PHONE (909) 627-8178 | WEB DescoIndustries.com


References:



ANSI/ESD S1.1 – Figure 2: Set-up for Wrist Strap Resistance Test



ANSI/ESD S1.1 – Figure 4: Set-up for Wristband Resistance Test



ANSI/ESD S1.1– Figure 8: Wrist Strap System Resistance Test