



## SPECIFICATIONS:

### Material Properties:

- Dissipative Polyvinylchloride (PVC)
- Material Thickness: 0.012" (1S) front & back
- Material Tolerance (thickness): +/-10%
- Material Finish: Matte
- 1" header imprinted with ESD Protective Symbol
- 2-1/2" x 3-1/2" Badge Holder display
- 3-1/2" x 5-13/16" OD

### Electrical Properties:

- Rs:  $1 \times 10^6$  to  $< 1 \times 10^{11}$  ohms per ANSI/ESD STM11.11

Item	Description
<a href="#">07474</a>	ESD Pocket Protector

*"It should be understood that any object, item, material or person could be a source of static electricity in the work environment. Removal of unnecessary nonconductors, replacing nonconductive materials with dissipative or conductive materials and grounding all conductors are the principle methods of controlling static electricity in the workplace, regardless of the activity." [ESD Handbook ESD TR20.20 section 2.4 Sources of Static Electricity]*



Specifications and procedures are subject to change without notice Made in the United States of America

## ESD POCKET PROTECTOR

DESCO WEST: 3651 WALNUT AVE., CHINO, CA 91710 WEBSITE: [Desco.com](http://Desco.com)  
PHONE (909) 627-8178 FAX (909) 627-7449

DESCO EAST: ONE COLGATE, CANTON, MA 02021-1407  
PHONE (781) 821-8370 FAX (781) 575-0172

**DRAWING  
NUMBER**

07474

**DATE**  
February  
2014

Dimensional tolerances are +/- 1/16" unless specified