



Meets the resistance required range for packaging of EN 61340-5-1 and Packaging standard IEC 61340-5-3 per IEC 61340-2-3.

- A. The Vermason Conductive Letter Trays are made of Conductive Polypropylene; electrostatic charges are removed to ground when tray is placed on a grounded working surface or tray is contacted by a grounded operator.
- B. They do not require separate grounding when laid on a grounded surface.
- C. They are stackable and hold A4 documents.
- D. Made in Switzerland

Technical Information

Size	340mm x 245mm x 50mm internal
Weight	0.4kg
Colour	Black
Material	Conductive Polypropylene
Resistance	$1 \times 10^2 \leq R_s < 1 \times 10^5$ ohms per IEC 61340-2-3

Item	Description
238760	Letter Tray, Black

*"Risks of damage to semiconductor devices and some other electronic components arise in two main ways from static electricity:
Discharges of static electricity from conductors or charged insulators causing melting and evaporation of fine tracks on integrated circuit chips;
Electric fields from charged conductors and insulators causing electrical breakdown on insulation between features on integrated circuits." (EN 61340-5-2 Introduction)
"A static audit with an electrostatic field meter should be carried out to determine the levels of static potential present." (EN 61340-5-2 section 5.2.9.2)*

Unless otherwise noted, tolerance $\pm 10\%$
Specifications and procedures subject to change without notice.

Vermason

Conductive Letter Tray

VERMASON
UNIT C, 4TH DIMENSION, FOURTH AVENUE, LETCHWORTH,
HERTS, SG6 2TD UK
PHONE: +44 (0) 1462-672005
E-MAIL: Service@Vermason.co.uk, INTERNET: Vermason.co.uk

Drawing Number
238760

DATE:
August
2014