



Item	Description
60158	Adjustable Elastic Wristband, 10mm, Blue
60159	Adjustable Elastic Wristband, 10mm, Red
60160	Adjustable Elastic Wristband, 10mm, Yellow
60161	Adjustable Elastic Wristband, 10mm, Yellow, Pack of 100



[60158](#)



[60159](#)



[60160](#)
and
[60161](#)

See Drawing [60221.E](#) for details on Coiled Cords

“All personnel shall be grounded or equipotentially bonded ... when handling ESDS [ESD sensitive items]. When personnel are seated at ESD protective workstations, they shall be connected to ground via a wristband system.” [EN 61340-5-1 Edition 1 2007-08 clause 5.3.2 Personnel grounding]

“The operator shall wear the wristband in the normal position and plug the free end of the cord into the test apparatus. The hand contact plate shall be pressed to verify that the wrist band system resistance is within acceptable parameters. The test apparatus can be an integrated, commercially available tester”. [EN 61340-5-1 Edition 1.0 2007-08 Annex A Test method A.1 Measurement method for Wristband testing]

- Wristband meets EN 61340-5-1 2007-08 Table 2 product qualification testing per ANSI/ESD S1.1
- Use a Charleswater wrist strap tester for compliance verification testing per IEC 61340-5-1 Clause A.1. Wristband should be snug on operator's wrist, attaching coiled cord (not included) to wristband and plugging into tester.
- No metal to skin contact
Choice for those with skin allergies
- Widely adjustable, elasticated fabric band
Conductive fibres on the inside
- Charleswater logo molded into the cap

Specifications:

Resistance from band:	<10E5 ohms	Test Method: ANSI/ESD S1.1
R _S interior of band:	<10E4 ohms	Test Method: ANSI/ESD S1.1
R _S exterior of band:	>10E7 ohms	Test Method: ANSI/ESD S1.1
Circumference:	Adjustable from 120 to 200mm	
Weight:	8g	



Made in Britain

Specifications and procedures subject to change without notice.



Adjustable Elastic Wristband, 10mm

CHARLESWATER LTD.
 UNIT 17. MILLBROOK BUSINESS PARK, SYBRON WAY
 CROWBOROUGH, EAST SUSSEX TN6 3JZ UNITED KINGDOM
 PHONE: 00 44 (0) 1892-665313, FAX: 00 44 (0) 1892-668838
 INTERNET: Charleswater.co.uk

Drawing Number
 60158.E

DATE:
 June
 2010