

## SAFETY DATA SHEET

May be used to comply with OSHA Hazcom 29 CFR 1910.1200. Standards must be consulted for specific requirements.

Revision Date: 2018-12-19

---

### 1. IDENTIFICATION

**Product Name:** Statfree® Dissipative Spray Buff

**Identified use:** Dissipative spray buff solution

**Company Identification:** DESCO  
One Colgate Way  
Canton, MA 02021  
UNITED STATES  
+1 781-821-8370

Email Address: [Service@DescolIndustries.com](mailto:Service@DescolIndustries.com)

**Emergency telephone number**

**United States:** +1 781-821-8370

**Office hours:** 8:00 AM - 5:00 PM

---

### 2. HAZARDS IDENTIFICATION

#### Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazcom 29 CFR 1910.1200.

Skin Corrosion/Irritation Category 2

Serious eye damage/eye irritation Category 2

Skin sensitisation Category 1

#### Label elements

Hazard pictograms/Symbols:



Signal word:

#### WARNING

Hazard statements:

Causes skin irritation  
Causes serious eye irritation  
May cause an allergic skin reaction

Precautionary statements:

#### Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.  
Wash hand thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

IF ON SKIN: wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/ attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF eye irritation persists: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.

#### Disposal

Dispose of contents/ container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Components	CAS No.	Concentration
Trade Secret #000205MA104	Trade Secret	1 - 5%

### 4. FIRST AID MEASURES

#### Description of first aid measures

<b>General advice:</b>	First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.
<b>Inhalation:</b>	Remove person to fresh air. If you feel unwell, get medical attention.
<b>Skin Contact</b>	In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention.
<b>Eye Contact:</b>	Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.
<b>Ingestion</b>	Rinse mouth. If you feel unwell, get medical attention.

#### Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### 5. FIREFIGHTING MEASURES

#### Extinguishing media

Suitable Extinguishing Media	The product is non-combustible. Dry chemical, CO <sub>2</sub> , water spray or regular foam
Unsuitable Extinguishing Methods	None known

#### Special hazards arising from the substance or mixture

Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

**Unusual Fire and Explosion Hazards:** None known.

#### Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Contain fire water run-off if possible.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus and protective suit. If protective equipment is not available or not used, fight fire from a protected location or safe distance.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

#### Environmental precautions

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

#### Methods and materials for containment and cleaning up

Spill: Mop up spills immediately. Wet floor may present slip hazard.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

### Conditions for safe storage, including any incompatibilities

Keep from freezing - product stability may be affected. For commercial and industrial use only.

### Storage stability

**Storage temperature:** 1°C - 49°C (34°F - 120°F)

See SECTION 8, for types of ventilation required.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

### Control parameters

Exposure limits are listed below, if they exist.

Components	CAS No.	Regulation	Type of listing	Value/Notation
Trade Secret #000205MA104	Trade Secret	ACGIH ACGIH OSHA Z-1	TWA STEL TWA	NE NE 15 mg/m3

### Exposure controls

**Technical Control:** Use local exhaust, or other technology solutions to keep air levels below given or recommended limit values. If limit values are not present, good general ventilation should be sufficient. Local exhaustion may be required in some operations.

### Individual protection measures

#### Eye/Face Protection

Use chemical safety goggles.

#### Skin Protection

No precautions other than clean body covering clothing should be needed.

#### Hand Protection

Chemical protective gloves is not needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

In case of using gloves, use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene. Nitrile/ butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Avoid gloves made of: Polyvinyl alcohol ("PVA").

#### Respiratory Protection

Respiratory protection should be worn as there is a risk of exposure above given or recommended Occupational Exposure Limits. If such limit values are not present, respiratory protection will cause effects such as respiratory irritation or discomfort, or when risk assessment indicates that this is required. Under most conditions, no respiratory protection should be required; If discomfort is experienced, use an approved respiratory protective device.

#### Hygiene measures

Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance:	Liquid.
Color:	Clear green
Odor:	No odor.
Odor Threshold:	No data available
pH:	6.5 - 7.5
Melting Point:	No data available.
Boiling Point:	212°F (100°C)
Flash Point:	No data available
Evaporation rate:	No data available
Flammability:	Not Applicable
Upper flammability or explosive limits:	Not Applicable
Lower flammability or explosive limits:	Not Applicable

Vapor Pressure (mm Hg):	No data available
Vapor Density (air=1):	No data available
Relative Density:	No data available
Specific Gravity (H <sub>2</sub> O = 1) :	1.0 - 1.2
Water Solubility:	Soluble
Partition coefficient:	No data available
Auto-ignition temperature:	Not Applicable
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

**Other information**

VOC 0.125% (1.305 g/L)\*

\*Per Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Section 94508.

**10. STABILITY AND REACTIVITY**

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Stable product at normal conditions.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Temperatures above 100°F (38°C) and below 34°F (1°C)

**Incompatible materials:** Strong oxidizing agents. Strong acids.

**Hazardous decomposition products:** Thermal decomposition may yield carbon monoxide.

**11. TOXICOLOGICAL INFORMATION**

**Information on toxicological effects**

**Acute Toxicity**

Acute oral toxicity	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. Based on information for component(s): LD50, Rat, > 2,000 mg/kg Estimated.
Acute dermal toxicity	Prolonged skin contact is unlikely to result in absorption of harmful amounts. Based on information for component(s): LD50, Rabbit, > 2,000 mg/kg Estimated.
Acute inhalation toxicity	Brief (minutes) exposure to vapor, mist or dust is not likely to cause adverse effects. The LC50 has not been determined.

**Skin corrosion/irritation**

Brief contact may cause skin irritation with local redness.

**Serious eye damage/eye irritation**

May cause eye irritation. May cause corneal injury.

**Sensitization**

For respiratory sensitization: No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

No relevant data found.

**Carcinogenicity**

No relevant data found.

**Teratogenicity**

No relevant data found.

**Reproductive toxicity**

No relevant data found.

**Mutagenicity**

No relevant data found.

**Aspiration Hazard**

No relevant data found.

**COMPONENTS INFLUENCING TOXICOLOGY:****Trade Secret #000205MA104****Acute oral toxicity**

LD50, Rat, > 710 mg/kg

**Acute dermal toxicity**

LD50, Rat, > 2000 mg/kg

**Acute inhalation toxicity**

LC50, Rat, > 5.53 mg/L/4 hr

**Skin corrosion/irritation**

Rabbit, Irritating

**Serious eye damage/eye irritation**

Rabbit, Moderately Irritating

**Sensitization**

Negative in Buehler Test

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Oral NOAEL\* = 3.05 mg/kg

Inhalation NOAEL = 0.00269

\*NOAEL = No Observed Adverse Effect Level

---

**12. ECOLOGICAL INFORMATION**

Ecotoxicological information appears in this section when such data is available.

**Toxicity**

Trade Secret #000205MA104

**Acute toxicity to fish**

LC50, Oncorhynchus mykiss (rainbow trout), 158 mg/L/96 hr, NOEC Pimephates promelas (fathead minnow) 1.2 mg/L (OECD 210)

**Acute toxicity to aquatic invertebrates**

EC50 Daphnia magna 249 mg/L/48 hr; MPEC Daaphnia magna 4 mg/L/21 day (OECD 211 - similar substance)

**Acute toxicity to algae/aquatic plants**

ErC50 Pseudokirchneriella subcapitata (green algae) 400 mg/L/72 hr, NOEC 25 mg/L (OECD 201)

**Persistence and degradability**

Not applicable.

**Bioaccumulative potential**

Bioaccumulation is unlikely.

**Mobility in soil**

Trade Secret #000205MA104

Log Pow = -2.66

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Product

Coagulate the product by the stepwise of Ferric Chloride and Lime. Remove the clear supernatant liquid and flush to a chemical sewer. Incinerate the solids and the contaminated material according to local and federal regulations.

#### 14. TRANSPORT INFORMATION

DOT (Department of Transportation) Not regulated for transport  
Classification for SEA transport (IMO-IMDG) Not regulated for transport  
Consult IMO regulations before transporting ocean bulk.  
Classification for AIR transport (IATA/ICAO) Not regulated for transport

#### 15. REGULATORY INFORMATION

##### Superfund Amendment and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986)

**Section 302 and 303** No chemicals in this product are subject to the reporting requirements of Section 302.  
**Section 304** This product does not contain any components with a section 304 Reportable Quantity (RQ).  
**Section 311 and 312** No SARA Hazards  
**Section 313** None

##### California Proposition 65

This product contains a chemical that is at or below California Proposition 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on SDS or label.

##### United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

#### 16. OTHER INFORMATION

HMIS RATING Health 1, Reactivity 0, Flammability 0, Personal Protection B  
NFPA RATING Special Hazard: N/A, Health: 1, Flammability: 0, Instability: 0  
**SDS Updated 2018-12-19**

##### Legend

STEL	Short-term Exposure Limits
TWA	Time Weighted Average

##### Disclaimer

OTHER INFORMATION: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.